



Ray Files of Bridgelux Vesta 13mm Tunable BXRV-TR-2750G-2000-A-25 Products

FTP links to ray files for Bridgelux Vesta 13mm Tunable BXRV-TR-2750G-2000-A-25 can be found in this document. In order to download the ray files, please click on the link.

Note:

- The files are based on testing of a single array at a 50°C case temperature and at the following test currents :
 - CW(Cool White)700mA and WW(Warm White)0mA
 - CW(Cool White)350mA and WW(Warm White)350mA
 - WW(Warm White)700mA and CW(Cool White)0mA
- Customers designing on other color SKUs or at other drive or thermal conditions can use these ray files and adjust the LOP level accordingly in their design software.
- All the ray files are generated with 1M rays (IES and EUL format have 10M rays).
- All the rays are generated on a plane at $z=0$, which is at the center of the top surface of light emitting area. For details about where $z=0$ is aligned, please refer to the two photos at the end of this file, or read radiant source model in ProSource (under alignment tab).
- Please refer to the 3D CAD files of Dim-to-Warm BXRV-TR-2750G-2000-A-25 from Bridgelux website for mechanical details of the product.

Radiant Source Model with color information

[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Radiant Imaging Source\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Radiant Imaging Source\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Radiant Imaging Source\)](#)

Tris-Color:

[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(LightTools Binary Format\)](#)

[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(LightTools Binary Format\)](#)

[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(LightTools Binary Format\)](#)



Photopic:

[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(ASAP Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(FRED Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(LighTools Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(LucidShape Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(OptiCAD Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Optis Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Photopia Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(SIMULUX Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(SPECTER Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(TracePro \)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Zemax Format\)](#)

[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(ASAP Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(FRED Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(LighTools Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(LucidShape Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(OptiCAD Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Optis Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Photopia Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(SIMULUX Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(SPECTER Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(TracePro \)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Zemax Format\)](#)

[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(ASAP Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(ASCII Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(FRED Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic Binary Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(LighTools Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(LucidShape Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(OptiCAD Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Optis Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Photopia Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(SIMULUX Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(SPECTER Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(TracePro \)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Zemax Format\)](#)



Spectral (spectrum adjusted by view angle):

[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Zemax Binary\)](#)

[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Zemax Binary\)](#)

[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Zemax Binary\)](#)

Spectral (spectrum adjusted by emission location):

[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(Zemax Binary\)](#)



[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(Zemax Binary\)](#)

[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic ASCII\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(FRED Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Generic Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(LightTools Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(OptiCAD\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Optis Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Photopia Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(TracePro Binary\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(Zemax Binary\)](#)

EUL and IES files:





[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(EULUMDAT Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 700mA WW 0mA\(IES Format\)](#)

[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(EULUMDAT Format\)](#)
[BXRV-TR-2750G-2000-A-25 CW 350mA WW 350mA\(IES Format\)](#)





[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(EULUMDAT Format\)](#)
[BXRV-TR-2750G-2000-A-25 WW 700mA Cool 0mA\(IES Format\)](#)

Alignment during radiant source model and ray file generation:

CW 700mA WW 0mA



CW 350mA WW 350mA:



WW 700mA CW 0mA:

